

WASHTENAW COUNTY CONDOMINIUM SUBDIVISION PLAN NO. 343
EXHIBIT "B" TO THE MASTER DEED OF
BROOKSIDE OF SUPERIOR TOWNSHIP
SUPERIOR TOWNSHIP, WASHTENAW COUNTY, MICHIGAN

CONDOMINIUM SUBDIVISION PLANS SHALL BE
NUMBERED CONSECUTIVELY WHEN RECORDED
BY THE REGISTER OF DEEDS AND SHALL BE
DESIGNATED WASHTENAW COUNTY CONDOMINIUM
SUBDIVISION PLAN NUMBER 343

SURVEYOR
MILLETICS AND ASSOCIATES
40399 GRAND RIVER AVENUE
SUITE 110
NOVI, MICHIGAN 48375-2123

ENGINEER
SEIBER, KEAST AND ASSOCIATES, INC.
40399 GRAND RIVER AVENUE
SUITE 110
NOVI, MICHIGAN 48375-2123

DEVELOPER:
THE SELECTIVE GROUP, INC.
27655 MIDDLEBELT ROAD, SUITE 130
FARMINGTON HILLS, MICHIGAN 48334

LEGAL DESCRIPTION:

A part of the North 1/2 of Section 34, Town 2 South, Range 7 East, Superior Township, Washtenaw County, Michigan; more particularly described as commencing at the Northeast Corner of said Section 34, thence South 87°49'18" West, 1923.20 feet, along the Northerly line of said Section 34 and the centerline of Geddes Road, to the Point of Beginning; thence South 02°10'42" East, 602.00 feet; thence South 87°49'18" West, 180.00 feet; thence South 02°10'42" East, 120.00 feet; thence South 17°18'54" West, 50.40 feet; thence South 25°48'15" East, 117.00 feet, thence South 09°06'39" West, 117.00 feet; thence South 44°22'42" West, 105.92 feet; thence South 54°58'55" West, 59.02 feet; thence South 35°01'05" East, 203.09 feet; thence South 09°47'25" East, 71.16 feet; thence South 16°11'56" East, 240.00 feet; thence South 41°50'04" East, 91.48 feet; thence South 71°20'55" East, 120.00 feet; thence South 18°39'05" West, 186.00 feet; thence North 71°20'55" West, 12.25 feet; thence South 18°39'05" West, 120.31 feet, to the Northerly boundary of "Woodland Acres Sub. No. 9", as recorded in Liber 21 of Plats, on Pages 78, 79 and 80 of Washtenaw County Records; thence the following courses along the Northerly boundary of said "Woodland Acres Sub. No. 9", North 70°49'33" West, 166.92 feet; and North 62°59'14" West, 114.49 feet; and North 55°53'08" West, 112.33 feet; and North 30°18'10" West, 89.19 feet; and North 06°31'11" West, 246.60 feet; and North 22°48'16" West, 95.46 feet; and North 35°01'05" West, 189.43 feet; and North 66°50'09" West, 420.67 feet; and 41.09 feet along a curve to the left, said curve having a radius of 266.00 feet, a central angle of 08°51'00", and a chord bearing and distance of South 36°14'11" West, 41.05 feet, along the Northerly boundary of said "Woodland Acres Sub. No. 9", to the Northeast corner of Lot 931 of "Woodland Acres Sub. No. 11", as recorded in Liber 27 of Plats, on Pages 20, 21, 22 and 23 of Washtenaw County Records; thence North 66°50'09" West, 129.68 feet, along the Northerly boundary of said "Woodland Acres Sub. No. 11"; thence South 23°09'51" West, 80.00 feet, along the Northerly boundary of said "Woodland Acres Sub. No. 11"; thence North 66°50'09" West, 328.37 feet, along the Northerly boundary of said "Woodland Acres Sub. No. 11" and an extension thereof; thence North 23°09'51" East, 204.59 feet; thence North 87°35'20" East, 89.26 feet; thence North 02°24'40" West, 750.00 feet, to the North line of said Section 34 and the centerline of said Geddes Road; thence North 87°35'29" East, 558.26 feet, along the North line of said Section 34 and the centerline of said Geddes Road, to the North 1/4 Corner of said Section 34; thence North 87°49'18" East, 736.33 feet, along the North line of said Section 34 and the centerline of said Geddes Road, to the Point of Beginning. All of the above being subject to the rights of the public in Geddes Road. All of the above containing 37.925 Acres. All of the above being subject to easements, restrictions, and rights-of-ways of record.

INDEX

1. TITLE PAGE, DESCRIPTIONS
2. SURVEY PLAN
3. COMPOSITE PLAN
4. SITE PLAN - UNITS 1 - 10, 38 - 46
5. SITE PLAN - UNITS 11 - 20, 33 - 37
6. SITE PLAN - UNITS 21 - 24, 30 - 32
7. SITE PLAN - UNITS 25 - 29, 47 - 71, 72
8. SITE PLAN - UNITS 47 - 63
9. SITE PLAN - UNITS 64 - 66, 73 - 76, 101 - 111
10. SITE PLAN - UNITS 77 - 81, 95 - 100
11. SITE PLAN - UNITS 82 - 94
12. AREA AND VOLUME DATA
13. UTILITY PLAN - PHASE I (NORTH)
14. UTILITY PLAN - PHASE I (SOUTH)

PROPOSED DATED
3-31-1999

Mark A. Young
MARK A. YOUNG
ENGINEER NO. 27861




BROOKSIDE OF SUPERIOR TOWNSHIP

TITLE PAGE

SEIBER, KEAST & ASSOCIATES, INC.
CONSULTING ENGINEERS

MILLETICS AND ASSOCIATES
LAND SURVEYORS

SHEET
1
OF
14



N.W. CORNER
SEC. 34, T.2S., R.7E.
L.C.R.C. L7 P.48

GEDDES ROAD
(33' 1/2 ROW)

N.1/4 CORNER
SEC. 34, T.2S., R.7E.
L.C.R.C. L4 P.378

N.E. CORNER
SEC. 34, T.2S., R.7E.
L.C.R.C. L7 P.265

NORTH LINE OF SECTION 34 AND CENTERLINE OF GEDDES ROAD


WEST LINE OF SECTION 34 AND CENTERLINE OF PROSPECT ROAD

PROSPECT ROAD
(33' 1/2 ROW)

W.1/4 CORNER
SEC. 34, T.2S., R.7E.
L.C.R.C. L7 P.49

EAST LINE OF SECTION 34 AND CENTERLINE OF HARRIS ROAD

HARRIS ROAD
(33' 1/2 ROW)





NOTES

UNITS 1 - 111 WHICH ARE LOTS, MUST BE BUILT, HOWEVER ANY AND ALL STRUCTURES WITHIN THE UNITS, NEED NOT BE BUILT.

ALL ROADWAYS IN THE CONDOMINIUM MUST BE BUILT. THE DEVELOPER INTENDS TO DEDICATE THE ROADS TO PUBLIC USE.

SEE SHEET 12 FOR UNIT AREA AND VOLUME DATA, AND TYPICAL UNIT CROSS SECTION.

SEE SHEET 13 AND 14 FOR UTILITY INFORMATION.



Mark A. Young
MARK A. YOUNG
ENGINEER NO. 57061



BROOKSIDE OF SUPERIOR TOWNSHIP


COMPOSITE PLAN

SEIBER, KEAST & ASSOCIATES, INC.
CONSULTING ENGINEERS

MALLENCO AND ASSOCIATES
LAND SURVEYORS

SEE NO. 15-DRAWING
SHEET
3
OF
14

PROPOSED DATED
3-31-1999



#	NORTHING	EASTING
5	5111.7377	7653.6803
6	5139.7245	8389.4831
7	5079.7679	8391.7636
8	5212.8220	10311.2977
9	5075.9670	8291.8358
10	5026.0032	8293.7363
11	5020.6820	8153.6374
12	5016.1210	8033.9241
13	5011.5600	7914.0108
14	5006.9990	7794.0976
15	5002.4380	7674.1843
16	4717.1836	8225.4246
17	4712.6226	8105.5113
18	4708.0616	7985.5980
19	4703.5006	7865.6847
20	4701.2201	7865.7281

NOTES:

ALL ROADS MUST BE BUILT AND ARE SUBJECT TO AN EASEMENT FOR PUBLIC USE GRANTED TO THE WASHTENAW COUNTY ROAD COMMISSION.

ALL UTILITY MAINS AND LEADS LOCATED WITHIN THE GENERAL COMMON ELEMENT, AS DEPICTED, MUST BE BUILT. UTILITY LEADS LOCATED OUTSIDE EASEMENT AREAS NEED NOT BE BUILT.

SEE SHEET 12 FOR AREA DATA AND VOLUME DATA AND TYPICAL UNIT CROSS SECTION.

- ① DENOTES COORDINATE POINT NUMBER.
- INDICATES POINT OF CURVATURE AND/OR BOUNDARY CORNER.
- GENERAL COMMON ELEMENT.
- LIMITED COMMON ELEMENT.

Mark A. Young
 MARK A. YOUNG
 ENGINEER NO. 27801

BROOKSIDE OF SUPERIOR TOWNSHIP

SITE PLAN - UNITS 1 - 10, 38 - 46

SEIBER, KEAST & ASSOCIATES, INC.
 CONSULTING ENGINEERS

MILLER AND ASSOCIATES
 LAND SURVEYORS

PROPOSED DATED 3-31-1999

SHEET 4 OF 14

N.W. CORNER
SEC. 34, T.2S., R.7E.
L.C.R.C. L7 P.48

N 87°35'20" E
2097.77'

PROSPECT ROAD
(33' 1/2 ROW)
WEST LINE OF SECTION 34 AND
CENTERLINE OF PROSPECT ROAD

N.E. 1/4 CORNER
SEC. 34, T.2S., R.7E.
L.C.R.C. L7 P.49


GRANCRE
FACILITY

PART OF
10-34-100-004

N 87°35'20" E 558.26'

GEDDES ROAD
(EXISTING PUBLIC, 33' 1/2 ROW)

N.E. 1/4 CORNER
SEC. 34, T.2S., R.7E.



BASIS OF COORDINATES:
NORTHWEST CORNER
OF SECTION 34
NORTH = 5000.0000
EAST = 5000.0000

NOTES:
ALL ROADS MUST BE BUILT AND ARE SUBJECT
TO AN EASEMENT FOR PUBLIC USE GRANTED
TO THE WASHTENAW COUNTY ROAD COMMISSION.
ALL UTILITY MAINS AND LEADS LOCATED
WITHIN THE GENERAL COMMON ELEMENT,
AS DEPICTED, MUST BE BUILT. UTILITY
LEADS LOCATED OUTSIDE EASEMENT AREAS
NEED NOT BE BUILT.
SEE SHEET 12 FOR AREA DATA AND VOLUME
DATA AND TYPICAL UNIT CROSS SECTION.

① DENOTES COORDINATE POINT NUMBER.

• INDICATES POINT OF CURVATURE
AND/OR BOUNDARY CORNER.

GENERAL COMMON ELEMENT.

LIMITED COMMON ELEMENT.

CURVE NO.	LENGTH	RADIUS	DELTA	CHD. BRC.	CHORD
1	36.96	263.00	88°03'06"	S83°47'46"W	36.93
2	54.89	263.00	11°57'30"	S73°47'28"W	54.79
3	54.89	263.00	11°57'30"	S61°49'58"W	54.79
4	54.89	263.00	11°57'30"	S49°52'28"W	54.79
5	54.89	263.00	11°57'30"	S37°54'58"W	54.79
6	54.89	263.00	11°57'30"	S25°57'28"W	54.79
7	54.89	263.00	11°57'30"	S13°59'58"W	54.79
8	42.86	197.00	12°28'01"	S81°35'18"W	42.78
9	97.89	197.00	28°28'15"	S61°07'11"W	96.89
10	97.89	197.00	28°28'15"	S32°38'58"W	96.89

#	NORTHING	EASTING
1	5000.0000	5000.0000
2	2320.3322	5112.7799
3	5088.2519	7095.9128
4	5026.3051	7036.4370
5	5111.7377	7655.6803
15	5002.4380	7674.1843
29	4897.8770	7554.2710
30	4892.7925	7420.5947
31	4937.3776	7288.6966
32	4820.0199	7155.7794
33	4665.0457	7113.7326
34	4629.8518	7436.0561
35	4668.4729	7469.3433
36	4692.6303	7579.8914



PROPOSED DATED
3-31-1999



BROOKSIDE OF SUPERIOR TOWNSHIP

SITE PLAN - UNITS 11 - 20, 33 - 37

SEBER, KEAST & ASSOCIATES, INC.
CONSULTING ENGINEERS

MILLER AND ASSOCIATES
LAND SURVEYORS

SHEET
5
OF
14



BASIS OF COORDINATES:
NORTHWEST CORNER
OF SECTION 34
NORTH = 5000.0000
EAST = 5000.0000


NOTES:
ALL ROADS MUST BE BUILT AND ARE SUBJECT
TO AN EASEMENT FOR PUBLIC USE GRANTED
TO THE WASHTENAW COUNTY ROAD COMMISSION.
ALL UTILITY MAINS AND LEADS LOCATED
WITHIN THE GENERAL COMMON ELEMENT,
AS DEPICTED, MUST BE BUILT. UTILITY
LEADS LOCATED OUTSIDE EASEMENT AREAS
NEED NOT BE BUILT.
SEE SHEET 12 FOR AREA DATA AND VOLUME
DATA AND TYPICAL UNIT CROSS SECTION.

① DENOTES COORDINATE POINT NUMBER.
• INDICATES POINT OF CURVATURE
AND/OR BOUNDARY CORNER.

GENERAL COMMON ELEMENT.
 LIMITED COMMON ELEMENT.

CURVE NO.	LENGTH	RADIUS	DELTA	CHD. BRG.	CHORD
11	47.88	263.00	10°25'53"	S02°48'17"W	47.82
12	71.60	197.00	20°49'32"	S08°00'06"W	71.21
13	13.51	197.00	03°55'48"	N00°26'48"W	13.51
26	10.00	263.00	02°10'43"	S03°16'03"E	10.00

#	NORTHING	EASTING
33	4665.0457	7113.7326
34	4629.8518	7436.0581
37	4532.8062	7414.2423
38	4528.6306	7119.4682
39	4414.7447	7124.2720



PROPOSED DATED
3-31-1999


BROOKSIDE OF SUPERIOR TOWNSHIP

SITE PLAN - UNITS 21 - 24, 30 - 42

SEBER, KEAST & ASSOCIATES, INC.
CONSULTING ENGINEERS

MALLENCE AND ASSOCIATES
LAND SURVEYORS

PREPARED BY
SHEET
6
OF
14



#	NORTHING	EASTING
24	4363.2849	8222.9537
25	4406.8437	8117.1419
26	4402.2827	7997.2286
50	4335.7770	7584.0950
51	4256.3262	7624.1175
52	4321.0385	7881.2776
53	4257.9514	8272.9837
54	4142.4275	8254.4572
55	4066.7134	8180.3780
56	4032.8556	8132.0425
57	4131.1323	8063.1823
58	4057.9104	7740.8478
59	4043.4248	7750.9975
60	3959.6336	7809.7079
61	3908.0689	7821.4188

CURVE TABLE					
CURVE NO.	LENGTH	RADIUS	DELTA	CHD. BRC.	CHORD
28	64.82	263.00	14°07'17"	S11°25'04"E	64.66
29	64.65	263.00	13°57'09"	S25°22'17"E	63.89
30	11.88	263.00	02°35'14"	S33°43'28"E	11.87
31	60.00	197.00	17°22'01"	S26°17'34"E	59.77
32	28.50	197.00	08°17'24"	N59°07'37"E	28.48
33	34.90	263.00	07°36'13"	N58°47'01"E	34.88
34	12.29	75.00	09°23'22"	S59°40'36"W	12.28
35	49.02	75.00	37°27'06"	S83°05'50"W	48.16
36	45.70	75.00	34°54'55"	N60°43'10"W	45.00
37	45.70	75.00	34°54'55"	N25°48'15"W	45.00
38	45.70	75.00	34°54'55"	N09°06'39"E	45.00
39	48.56	75.00	37°05'49"	N45°07'01"E	47.72
40	79.87	75.00	81°01'11"	S85°48'28"E	76.15
41	61.83	50.00	70°51'09"	N89°35'30"W	57.97
53	1.50	75.00	01°08'57"	S54°44'24"W	1.50

Mark A. Young
 MARK A. YOUNG
 ENGINEER NO. 27801


BROOKSIDE OF SUPERIOR TOWNSHIP

SITE PLAN - UNITS 64 - 66, 73 - 76, 101 - 111

SEBER, KEAST &
 ASSOCIATES, INC.
 CIVIL ENGINEERS

M. A. ASSOCIATES
 LAND SURVEYORS

SHEET
 9
 OF
 14



BASIS OF COORDINATES:
 NORTHWEST CORNER
 OF SECTION 34
 NORTH = 5000.0000
 EAST = 5000.0000

NOTES:
 ALL ROADS MUST BE BUILT AND ARE SUBJECT
 TO AN EASEMENT FOR PUBLIC USE GRANTED
 TO THE WASHTENAW COUNTY ROAD COMMISSION.
 ALL UTILITY MAINS AND LEADS LOCATED
 WITHIN THE GENERAL COMMON ELEMENT,
 AS DEPICTED, MUST BE BUILT. UTILITY
 LEADS LOCATED OUTSIDE EASEMENT AREAS
 NEED NOT BE BUILT.

SEE SHEET 12 FOR AREA DATA AND VOLUME
 DATA AND TYPICAL UNIT CROSS SECTION.



① DENOTES COORDINATE POINT NUMBER.

• INDICATES POINT OF CURVATURE
 AND/OR BOUNDARY CORNER.

GENERAL COMMON ELEMENT.

LIMITED COMMON ELEMENT.

PROPOSED DATED
 3-31-1999



BASIS OF COORDINATES:
 NORTHWEST CORNER
 OF SECTION 34
 NORTH = 5000.0000
 EAST = 5000.0000

NOTES:
 ALL ROADS MUST BE BUILT AND ARE SUBJECT
 TO AN EASEMENT FOR PUBLIC USE GRANTED
 TO THE WASHTENAW COUNTY ROAD COMMISSION.
 ALL UTILITY MAINS AND LEADS LOCATED
 WITHIN THE GENERAL COMMON ELEMENT,
 AS DEPICTED, MUST BE BUILT. UTILITY
 LEADS LOCATED OUTSIDE EASEMENT AREAS
 NEED NOT BE BUILT.

SEE SHEET 12 FOR AREA DATA AND VOLUME
 DATA AND TYPICAL UNIT CROSS SECTION.

① DENOTES COORDINATE POINT NUMBER.

• INDICATES POINT OF CURVATURE
 AND/OR BOUNDARY CORNER.

GENERAL COMMON ELEMENT.

LIMITED COMMON ELEMENT.

CURVE TABLE				
CURVE NO.	LENGTH	RADIUS	DELTA	CHD. BRG.
42	4.57	263.00	00°59'41"	N34°31'14"W
43	54.89	263.00	11°57'30"	N28°02'39"W
44	26.93	263.00	05°51'58"	N19°07'55"W
45	64.71	197.00	19°49'09"	N25°36'31"W

#	NORTHING	EASTING
56	4032.8558	8132.0425
61	3908.0669	7031.4188
62	3861.3573	7078.5681
63	3763.0807	7947.4282
64	3752.9292	7930.1203
65	3684.9340	7967.1194
66	3654.3997	7980.3242
67	3796.4085	8260.6836
68	3866.5291	8248.5838
69	3933.2277	8201.8496

Mark A. Young
 MARK A. YOUNG
 ENGINEER NO. 37941

BROOKSIDE OF SUPERIOR TOWNSHIP


SITE PLAN - UNITS 77 - 81, 95 - 100

SEIBER, KEAST &
 ASSOCIATES, INC.
 CONSULTING ENGINEERS

MULLER AND
 ASSOCIATES
 LAND SURVEYORS


SHEET
 10
 OF
 14

PROPOSED DATED
 3-31-1999



CURVE NO.	LENGTH	RADIUS	DELTA	CHD. BRG.	CHORD
46	89.02	197.00	25°53'30"	S29°08'42"E	88.27
47	100.60	197.00	29°15'28"	S56°43'11"E	99.51
48	60.83	263.00	13°15'07"	S22°49'30"E	60.69
49	54.89	263.00	11°57'30"	S35°25'48"E	54.79
50	54.89	263.00	11°57'30"	S47°21'18"E	54.79
51	54.89	263.00	11°57'30"	S59°20'48"E	54.79
52	27.65	263.00	06°01'22"	S68°20'14"E	27.63

#	NORTHING	EASTING
65	3664.9310	7967.1194
66	3664.5997	7980.3142
67	3796.4085	8260.6836
70	3681.1726	8294.1605
71	3565.9368	8327.6374
72	3487.7758	8386.6544
73	3459.3987	8502.3572
74	3283.1671	8442.8677
75	3287.0852	8431.2597
76	3173.0974	8392.7847
77	3277.9216	8255.1220
78	3279.3217	8133.1223
79	3302.9472	8099.1322
80	3342.9217	8040.1222
81	3419.9258	7995.1196



BASIS OF COORDINATES:
 NORTHWEST CORNER
 OF SECTION 34
 NORTH = 5000.0000
 EAST = 5000.0000

NOTES:
 ALL ROADS MUST BE BUILT AND ARE SUBJECT TO AN EASEMENT FOR PUBLIC USE GRANTED TO THE WASHTENAW COUNTY ROAD COMMISSION.
 ALL UTILITY MAINS AND LEADS LOCATED WITHIN THE GENERAL COMMON ELEMENT, AS DEPICTED, MUST BE BUILT. UTILITY LEADS LOCATED OUTSIDE EASEMENT AREAS NEED NOT BE BUILT.
 SEE SHEET 12 FOR AREA DATA AND VOLUME DATA AND TYPICAL UNIT CROSS SECTION.

- ① DENOTES COORDINATE POINT NUMBER.
- INDICATES POINT OF CURVATURE AND/OR BOUNDARY CORNER.

GENERAL COMMON ELEMENT.
 LIMITED COMMON ELEMENT.

PROPOSED DATED
 3-31-1999

Mark A. Young
 MARK A. YOUNG
 ENGINEER NO. 27861

BROOKSIDE OF SUPERIOR TOWNSHIP

SITE PLAN - UNITS 82 - 94

SEIBER, KEAST & ASSOCIATES, INC.
 CONSULTING ENGINEERS

MALLORY AND ASSOCIATES
 LAND SURVEYORS


SHEET
 11
 OF
 14

UNIT AREA TABLE

UNIT NO.	UNIT AREA (SQ.FT.)	UNIT NO.	UNIT AREA (SQ.FT.)	UNIT NO.	UNIT AREA (SQ.FT.)	UNIT NO.	UNIT AREA (SQ.FT.)
1	9,600	29	10,081	57	7,200	85	9,436
2	7,200	30	7,580	58	7,200	86	8,375
3	7,200	31	7,606	59	7,200	87	10,011
4	7,200	32	8,682	60	7,200	88	7,200
5	7,200	33	8,739	61	7,200	89	7,200
6	7,200	34	8,109	62	7,200	90	9,773
7	7,200	35	7,598	63	9,478	91	9,622
8	7,200	36	7,200	64	7,680	92	7,200
9	7,200	37	9,600	65	7,737	93	7,200
10	7,200	38	9,600	66	8,749	94	7,200
11	7,200	39	7,200	67	8,272	95	7,200
12	7,200	40	7,200	68	7,773	96	7,938
13	7,200	41	7,200	69	7,689	97	8,378
14	7,866	42	7,200	70	7,742	98	7,273
15	8,067	43	7,200	71	8,609	99	7,200
16	8,311	44	7,200	72	9,395	100	7,200
17	8,435	45	7,200	73	9,627	101	7,200
18	8,435	46	9,600	74	7,200	102	9,154
19	8,157	47	9,600	75	7,200	103	7,782
20	7,620	48	7,200	76	7,200	104	8,673
21	7,354	49	7,200	77	7,200	105	9,168
22	6,600	50	7,200	78	7,200	106	9,168
23	6,600	51	7,200	79	7,200	107	8,389
24	6,374	52	7,200	80	7,777	108	8,701
25	10,047	53	7,200	81	7,271	109	7,655
26	12,764	54	7,200	82	7,200	110	7,404
27	9,159	55	9,600	83	7,200	111	9,113
28	10,405	56	7,200	84	8,301		


PARK AREA TABLE

PARK NO.	PARK AREA (SQ.FT.)
PARK 1	87,003
PARK 2	144,250
PARK 3	59,646
PARK 4	15,642
PARK 5	2,851



LOWEST OUTSIDE
GRADE OF BUILDING
(PER MASTER GRADING PLAN OF
APPROVED ENGINEERING PLANS)


TYPICAL UNIT VOLUME



NOTE: THE TOP AND BOTTOM
LIMITS OF OWNERSHIP ARE
PARALLEL TO EACH OTHER AND
ARE PERPENDICULAR TO THE
VERTICAL LIMITS.

TYPICAL UNIT CROSS SECTION

PROPOSED DATED
3-31-1999




BROOKSIDE OF SUPERIOR TOWNSHIP



AREA AND VOLUME DATA

SEIBER, KEAST &
ASSOCIATES, INC.
CIVIL AND SURVEYING

MALLEN AND
ASSOCIATES
LAND SURVEYING

SHEET
12
OF
14





LEGEND	UTILITY	SOURCE OF LOCATION
---	WATER MAIN	SEIBER, KEAST AND ASSOCIATES, INC.
---	SANITARY SEWER	SEIBER, KEAST AND ASSOCIATES, INC.
---	STORM SEWER	SEIBER, KEAST AND ASSOCIATES, INC.
---	GAS*	MICHCON
---	ELECTRIC*	DETROIT EDISON COMPANY
---	TELEPHONE*	AMERITECH
---	CABLE TELEVISION*	MEDIA ONE

*WILL BE SHOWN ON AS-BUILT DRAWINGS.

NOTES:

ALL ROADS MUST BE BUILT AND ARE SUBJECT TO AN EASEMENT FOR PUBLIC USE GRANTED TO THE WASHTENAW COUNTY ROAD COMMISSION.

ALL UTILITY MAINS AND LEADS LOCATED WITHIN THE GENERAL COMMON ELEMENT, AS DEPICTED, MUST BE BUILT. UTILITY LEADS LOCATED OUTSIDE EASEMENT AREAS NEED NOT BE BUILT.

Mark A. Young
 MARK A. YOUNG
 ENGINEER NO. 27061

PROPOSED DATED
3-31-1999

BROOKSIDE OF SUPERIOR TOWNSHIP

UTILITY PLAN

SEIBER, KEAST & ASSOCIATES, INC.
 CONSULTING ENGINEERS

MALLONS AND ASSOCIATES
 LAND SURVEYORS

SHEET
14
OF
14